TARRANT COUNTY PUBLIC HEALTH DATA BRIEF



STROKE IN TARRANT COUNTY

A stroke occurs when a blood vessel that carries oxygen and nutrients to the brain is either blocked by a clot or bursts, causing brain cells to die



Figure 1. Stroke mortality among Tarrant County residents, 2011-2020




Figure 3. Stroke mortality among Tarrant County residents by selected demographics, 2020




Figure 2. Stroke mortality among selected geographic areas, 2020

Cerebrovascular

disease


(stroke)

is the 4th

leading cause

of death in

Tarrant County




0.0 10.0 20.0 30.0 40.0 50.0 Age-adjusted rate per 100,000 population

Stroke mortality in Tarrant County was significantly higher compared to Travis County, Texas, and the U.S.

All significant differences detected at the 95% confidence level

Data sources: American Stroke Association; Centers for Disease Control and Prevention Data Brief provided by: Division of Epidemiology and Health Information

Many Tarrant County adults have risk factors for stroke



- [health.tarrantcounty.com]
 - * **Health for Me:** Self-management class for persons with diabetes, obesity, hypertension, and other chronic conditions
 - * Live Tobacco Free: Free tobacco cessation classes for adults
- American Stroke Association [StrokeAssociation.org]
- Million Hearts [MillionHearts.hhs.gov]
- Centers for Disease Control and Prevention [cdc.gov/stroke]

Data sources: American Stroke Association; Centers for Disease Control and Behavioral Risk Factor Surveillance System, 2020 Data Brief provided by: Division of Epidemiology and Health Information

Sudden

dizziness and severe headache

are other

warning signs of a stroke

Prevention; Tarrant County